General Omnichannel Integration Suite changes

Release date: 2021-05-18

Released by: Divide

General

- Parameter X-SITEID is removed and will be determined via the AuthO application, which makes X-SITEID obsolete.

New endpoints

AddressCompletion

| Method | Description |
|----------------------------------|---|
| GET /api/v1/AddressCompletion | Complete a NL/BE/DE/LU address using Pro6PP v2 . Returns the city, street, longitude and latitude by ZipCode, HouseNumber, HouseNumberAddition and CountryCode. |

Country

| Method | Description |
|---|--|
| GET /api/v1/Country/{ThreeLetterCode}/VatPostingGroup | This method finds the VAT posting group settings for a specific country by |
| /api/vi/country/{immeelettercode}/vatrostingoroup | the ThreeLetterCode. |

OrderDocuments

| Method | Description |
|---|---|
| GET /api/v1/OrderDocuments | Get all order documents for an order by OrderId. |
| POST /api/v1/OrderDocuments | Add an order document by posting OrderId, File, FileName and DocumentType. |
| <pre>GET /api/v1/OrderDocuments/TempUrl/{Uid}</pre> | Get a download url for an order document by Uid . The download url is only active for 30 seconds. |

OrderShipment

| Method | Description |
|---|---|
| POST /api/v1/OrderShipment | Adds a shipment to the supplied order variants with the option to set a TrackTraceCode. |
| GET /api/v1/OrderShipment | Gets shipments for a certain status by Status . |
| PUT /api/v1/OrderShipment | Contains the ShipmentIdentifier and Status to update. |
| POST /api/v1/OrderShipment/Reprint/{ShipmentIdentifier} | This method creates the option to define which ordershipment has to be reprinted. |
| <pre>GET /api/v1/OrderShipment/{ShipmentIdentifier}</pre> | Gets a shipment by its ShipmentIdentifier. |

Settings

| Method | Description |
|---|---|
| <pre>GET /api/v1/Settings/{GroupName}</pre> | Get all settings and values by GroupName. |

Extended endpoints

New methods

| Method | Description |
|--|--|
| PUT /api/v1/Branches | Provides the option to set WeeklyOpeningHours, ExtraOpeningHours and the branche Location. |
| GET /api/v1/Catalog/VariantByBarcode | Get all variant information by Barcode. |
| GET /api/v1/Catalog/Variant | Get all variant information by ArticleNumber and Code. |
| GET /api/v1/Inventory/Stock/VariantByBarcode | Provides all stock an array of Barcode. |

| Method | Description |
|--|---|
| GET /api/v1/Order/Search | Search orders by various parameters like OrderNumber, CustomerNumber, CustomerLastName, CustomerEmail, OrderDateFrom, OrderDateUntil with the option for pagination: CurrentPage and AmountPerPage. |
| POST /api/v1/Order/{OrderId}/OrderLines/Discounts | Add discounts to an existing order by OrderId. |
| PUT /api/v1/Order/{OrderId}/OrderLines/SepaCreated | Update the delivery status for one or multiple order lines from Cancel or Retour to SepaCreated by OrderId. |
| PUT /api/v1/Order/{OrderId}/OrderLines/Cancel | Cancel one or multiple order lines by OrderId. |

Extended methods

| Method | Description |
|---|--|
| GET /api/v1/Branches | <pre>"Name", "Title", "IsWareHouse", "PhoneNumber", "Address": { }, "Location": { }, "ExtraOpeningHours": { "Reason" }</pre> |
| GET /api/v1/Catalog | "Teaser" |
| PUT /api/v1/Customer | "ShippingAddress": { "Metadata": { } }, "BillingAddress": { "Metadata": { } } |
| POST /api/v1/Customer | <pre>"CustomerNumber", "ShippingAddress": { "Metadata": { } }, "BillingAddress": { "Metadata": { } }</pre> |
| GET /api/v1/Customer/GetByEmail | "Addresses" { } |
| GET /api/v1/Customer /SearchByZipcodeHouseNumber | "Addresses" { } |
| GET /api/v1/Customer /SearchByCustomerNumber | "Addresses" { }, "TotalResults" |

| Method | Description |
|--|--|
| GET /api/v1/Customer | "Addresses" { }, |
| /SearchByEmail | "TotalResults" |
| GET /api/v1/Customer | "Addresses" { }, |
| /SearchByLastName | "TotalResults" |
| GET /api/v1/Inventory | "Settings" { } |
| <pre>GET /api/v1 /Inventory/Stock/Variants</pre> | "VariantId" |
| POST /api/v1/Order | <pre>"DeliveryFirstname", "DeliveryInfix", "DeliveryLastName", "DeliveryGender", "ExternalSource", "OrderDate"</pre> |
| GET /api/v1/Order | <pre>"ExternalSource", "OrderBranch": { }, "Culture": { }, "DeliveryInformation" { }, "PriceInformation" { PaymentInfo { } }, "Customer": { "CustomerNumber" }, "Customer": { "ShippingAddress": { "Country": { "ThreeLetterCode" } }, "Customer": { "BillingAddress": { "Country": { "ThreeLetterCode" } }, "ShippingInformation": { }, "Variants": { "Id", "VariantCode", "ArticleNumber", "EAN", "Color", "Size" }, "Variants": { "DeliveryStatus": { "Description" } }, "Shipments": { "ShipmentNo" }, "Shipments": { "ShippedVariants": { "Id" } }</pre> |
| GET /api/v1/Properties | <pre>"ParentIds", "SortOrder", "Name", "MetaData": { }</pre> |
| GET /api/v1/ShippingAgents | "TrackTraceUrlTemplate" |

| Method | Description |
|--------------------------------------|---|
| GET /api/v1/Catalog | "Images" was obsolete and is removed ("Variants": { Images" } is still available) |
| <pre>GET /api/v1/DiscountTypes</pre> | "IsPickupLocation", "WeeklyOpeningHours": { }, "ExtraOpeningHours": { } Was added by mistake. Removed now. |
| GET /api/v1/Order | "Shipments": { "ShippedVariants": { "DeliveryStatus": { } } was obsolete and is removed |

Moved endpoints

| Method | Description |
|-------------------------|---|
| GET /api/v1/Circulation | Moved to separate API (see details below) |

Azure API Management

| | Azure APIM URL |
|-------------------|---|
| Dev documentatie | https://ois-dev-apim.developer.azure-api.net |
| Dev connection | https://ois-dev-apim.azure-api.net |
| | |
| Prod documentatie | https://developer.ois.divide.nl (eind mei online) |
| Prod connection | https://ois.divide.nl (eind mei online) |

Omnichannel Integration Suite API's

- [General] < As mentioned above.
- Bulk < Endpoints to synchronize Divide.OIS with your ERP
- Circulation